

Hangler DTS-H 300 P 3 akslet med ramper, Low loader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / 2498 2148 / 2497 2148 / 4011 0944

Registration	
Model year	2024
Chassis number (VIN)	0014
Ref. no.	7384
Brand new	✓

Basis	
Type	Trailer
Aksel	3
Stand	Brand new

Tyres	
% remaining	100
Dimensions	235/75R17,5

Auto transport	
Platform length	7800 mm

Brakes	
Drum brakes	✓
ABS	✓

Weight	
Loading capacity kg	19960
Overall weight kg	27000
Tare weight kg	7040
Total weight, low loader kg	32136
Load capacity, low loader kg	25096

Low loader	
Outriggers with planks	✓
Hydraulic ramps	✓
Wide load signs	✓

Coupling	
Air-coupling	DuoMatic
Manufacturer	57 mm trækøje
Variable drawbar	JA + 6 x 100mm
Coupling height mm	820

Suspension	
Air	✓

Dimensions	
External length mm	7800
Internal length mm	6850 + 950 på knækket
Width mm	2550
Load highness at back mm	900

Chassis	
Toolbox	✓
Total length mm	min 10000 - max 10600 + 250 mm ramper
Hydraulic 2.	✓
Working light	✓
Shaft type	SAF
Axle load kg	10,7 + 10,7 + 10,7

Truck body / box	
Bottom	70 mm træplanker, riflet stål bund
Lashing rings in the bottom	✓
Holes for Sockets	✓
Foldable lashing rings	✓

Beskrivelse

New Hanger 3-axle machine trailer

Built with: 7800 mm flat section 6850 + 950 mm - hydraulic ramps L 2800 mm x W 750 mm operated via the hydraulics of the front carriage, the hydraulic system is also fitted with a throttle valve so the pressure can be adjusted manually

Manual lateral displacement option for additional purchase of hydraulic lateral displacement of loading ramps - SAF 11 ton axles with drum brakes and air suspension - 70 mm wooden planks at the bottom, as well as grooved steel above the wheel arches - 2 x 5 pcs. chop stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - as well as 2 pcs 5 ton at the front

Low loading height of 900 mm - Extra 70 mm widening planks which lie in the middle recessed in the bottom of the tray - 4 pcs. spreader plates with extension - movable drawbar with 57 mm draw eye and coupling height 820 mm - stainless tool box - magazine box built into rapo for storing chains etc.

Approved for block wagon driving 60 km/h : 32,136kg / load 25,096kg and fast runner 90 km/h : 24,000kg / load 16,960kg
Delivered from stock with galvanized undercarriage, the ramps are galvanized - the hanger can also be specified as desired in the desired RAL color

Contact us today on +45 8724 4370 to find out more!
We always have a wide selection of new and used units

As a dealer of products from the Austrian manufacturer Hanger, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy-duty or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.





