

Weight





Scanvo Trucks Danmark A/S Hårup Skovvej 7, Hårup 8600 Silkeborg

Sælger Salgsafdeling salg@scanvo.dk +45 8724 4370

+45 3046 2148 / +45 2498 2148

3			
Model year	2025		
Chassis number (VIN)	0009		
Ref. no.	7118		
Brand new	✓		
Basis			
Туре	Trailer		
Aksel	3		
Stand	Brand new		
Tyres			

Chassis number (VIN)	0009
Ref. no.	7118
Brand new	❤
Basis	
Туре	Trailer
Aksel	3
Stand	Brand new
Tyres	
% remaining	100
Dimensions	235/75R17,5
Auto transport	
Platform length	7050 mm
Brakes	
Drum brakes	✓
ABS	✓

vveigin		
Loading capacity kg		16500
Overall weight kg		24000
Tare weight kg	С	a 7500
Total weight, low loader kg		33000
Load capacity, low loade	er kg	26360
Low loader		
Outriggers with planks		₩
Hydraulic ramps		√
Wide load signs		V
Coupling		
Air-coupling	DuoMatic	
Manufacturer	57 mm trækøje	
Variable drawbar	$JA + 6 x^2$	100mm
Coupling height mm		820
Suspension		
Air		✓

Dimensions			
External length mm	7100		
Internal length mm610	0 + 950 på knækket		
Width mm	2550		
Load highness at back i	mm 900		
Chassis			
Toolbox	✓		
Total length mm min 9350 - max 9850 + 250 mm ramper			
Hydraulic 2.	✓		
Working light	✓		
Shaft type	SAF		
Axle load kg	10,7 + 10,7 + 10,7		
Truck body / box			
Bottom 70 mm træplanker, riflet stålbund			
Lashing rings in the bot	tom 🗳		
Holes for Sockets	✓		
Foldable lashing rings	❤		

Beskrivelse

Registration

Immidiate delivery!

Hangler DTS-H 300 3-axle machine trailer - short coupling length!

Approved for block wagon driving 60 km/h: 33,000 kg / load 26,260 kg and fast runner 90 km/h: 24,000 kg / load 16,860 kg 7100 mm flat section 6150 + 950 mm - hydraulic ramps L 2800 mm x W 750 mm are operated via the truck's hydraulics, furthermore, the hydraulic system is fitted with a throttle valve so that the pressure can be adjusted manually - manual side shift possibility to purchase additional hydraulic side shift of loading ramps

SAF 11 ton axles with drum brakes and air suspension - 70 mm wooden planks at the bottom, and grooved steel above the wheel arches - 2 x 5 pcs. chop stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - as well as 2 pcs 5 ton at the front - low loading height of 900 mm - Extra 70 mm widening planks which are located in the middle recessed in the bed bottom - 4 pcs. extension signs with pull-out - 2 flash lights at the back + 2 at the side movable drawbar with 57 mm draw eye and coupling height 650 - 850 mm - stainless tool box - magazine box built into the rapo for storing chains etc.

Delivered from stock with galvanized undercarriage, the ramps are galvanized - the hanger can also be specified as desired in the desired RAL color

Contact us today on +45 8724 4370 to find out more! We always have a wide selection of new and used units

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced powerful, strong trailer products for some of the toughest tasks. The product range is wide ranging - from machine, built-in, heavy-duty or curtain trailers, carts, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and heretic countries T REFUSE







































