

Hangler 4-aks 2-delt heldækkende rampe, Low loader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Basis	
Type	Semi-Trailer
Aksel	4
Stand	Brand new
Suspension	
Air	✓
Brakes	
Drum brakes	✓
Tyres	
% remaining	100
Dimensions	235/75 R17,5"

Chassis	
Toolbox	✓
Shaft type	SAF
Liftable axles	1.
Axle load kg	30000
Stool height mm	1200
Self steering Axles	3+4.
Registration	
Model year	2025
Ref. no.	5078
Brand new	✓

Low loader	
Hydraulic ramps	✓
Weight	
Loading capacity kg	37400
Overall weight kg	48000
Tare weight kg	10600
King pin kg	18000
Total weight, low loader kg	62000
Load capacity, low loader kg	51400
Truck body / box	
Bottom	Stål + Træ
Lashing rings in the bottom	✓

Beskrivelse

HANGLER 4-axle machine trailer
- full-covering 4,200mm ramps with steel grating

The trailer is, among other things, built with:

- SAF axles with drum brakes
- Lift axle on axle 1
- Co-steering axle 3+4
- 26 pcs. 10-ton lashing points
- 4 pcs. 5-ton lashing points
- Retractable extensions in the side rails
- 3 pieces. stainless tool boxes
- Slope storage room for landing
- Electro-hydraulic pump station for ramp 24V
- Galvanized chassis
- Cane holes along both sidewalls
- 235/75 R17.5" twin mounted wheels, steel rims
- TPMS tire pressure monitoring
- Air outlet for measuring brake pressure
- 4 pcs. LED work lights - 2 pcs. on the side + 2 at the back
- 4 pcs. 3-chamber LED rear lights
- 4 pcs. extendable wide load signs
- Removable aluminum sides on landing
- Barn floor covered with 70mm planks of larch wood
- Load length on lowered part approx. 9,200 mm
- Load length on rest approx. 4,000 mm
- Load bed height at driving level approx. 910mm
- 2 pcs. king bolt positions

Call for more information on tel. 87244370 - or send us an email salg@scanvo.dk







