Hangler DTS-H 300 3 akslet hænger med ramper, Low loader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Registration	
Model year	2026
Chassis number (VIN)	0009
Ref. no.	7118
Brand new	✓

Basis	
Type	Trailer
Aksel	3
Stand	Brand new

Tyres	
% remaining	100
Dimensions	235/75R17,5

Auto transport	
Platform length	7050 mm

Brakes	
Drum brakes	✓
ABS	✓

Weight	
Loading capacity kg	19600
Overall weight kg	27000
Tare weight kg	7400
Total weight, low loader kg	33000
Load capacity, low loader kg	25600

Low loader	
Outriggers with planks	✓
Hydraulic ramps	✓
Wide load signs	✓

Coupling	
Air-coupling	DuoMatic
Manufacturer	57 mm trækøje
Variable drawbar	JA + 6 x 100mm
Coupling height mm	ca 700

Suspension	
Air	✓

Dimensions	
External length mm	7100
Internal length mm	6100 + 950 på knækket
Width mm	2550
Load highness at back mm	900

Chassis	
Toolbox	✓
Total length mm	min 9250 - max 9850 + ramper
Hydraulic 2.	✓
Working light	✓
Shaft type	SAF
Axle load kg	11000 + 11000 + 11000

Truck body / box	
Bottom	70 mm træplanker, riflet stålbund
Lashing rings in the bottom	✓
Holes for Sockets	✓
Foldable lashing rings	✓

Beskrivelse

Hangler DTS-H 300 3-axle machine trailer - short coupling length and therefore also short flatbeds!

Approved for block truck driving 60 km/h: 33,000 kg / load 25,600 kg and fast runner 90 km/h: 27,000 kg / load 16,860 kg
7200 mm flatbed plane 6250 + 950 mm
hydraulic ramps L 2800 mm x W 750 mm are operated via the vehicle's hydraulics. Furthermore, the hydraulic system is fitted with a throttle valve so that the pressure can be adjusted manually - manual sideshifting, possibility of purchasing hydraulic sideshifting of loading ramps

SAF or BPW 11 ton axles with drum brakes - air suspension
70 mm wooden planks in the bottom, and grooved steel over the wheel arches - 2 x 5 pcs. stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - and 2 pcs. 5 ton at the front - low loading height of 900 mm
Extra 70mm widening planks which are located in the middle recessed in the bottom of the flat with 4 pcs. widening signs with pull-out 2 pcs. flash lights at the rear + 2 pcs. at the side
Sliding drawbar 57 mm tow eye - coupling height 650 - 850 mm - coupling length min 9250 - max 9850 mm in this short version
Stainless steel toolbox - magazine box built into the rapo for storing chains etc.

Delivered from stock in short and long version with galvanized undercarriage, the ramps are also galvanized
The trailer can also be specified on request in the desired RAL color

Contact us today at +45 8724 4370 to hear more!
We always have a wide selection of new and used units

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced strong trailer products for some of the toughest tasks. The product range is wide - from machine, low-mounted, heavy-duty or curtain trailers, trailers, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries.

AN OFFER YOU CAN'T REFUSE


HANGLER











SCANVO
TRUCKS DANMARK A/S





















