

HK Tipper K25T HMF TF324 3 vejs wirehejs, Container system



SCANVO
TRUCKS DANMARK A/S



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Registration	
Model year	2018
Reg. date	18-09-2018
Reg. no.	FT8467
Latest inspection	16-01-2025
Chassis number (VIN)	UH9K25TBJB0HJ1190
Ref. no.	7875

Basis	
Type	Drawbar
Aksel	3
Stand	Very fine

Tyres	
% remaining	90/90 - 70/30 - 90/10
Dimensions	275/70x22,5

Brakes	
Drum brakes	✓
ABS	✓

Dimensions	
Truck bed height mm	1320mm til ruller på hejs

Weight	
Loading capacity kg	17820
Overall weight kg	24000
Tare weight kg	6180
King pin kg	1000

Coupling	
Electrical coupling	EBS + 15 polet lysstik
Air-coupling	Duromatic
Manufacturer	57 mm trækøje
V "KN air"	57
V "KN no air"	75
Coupling height mm	750-950
Coupling pressure	1000

Suspension	
Air	✓

Tippers	
3-way	✓

Chassis	
Toolbox	✓
Wheelbase to 1. axel mm	4390
Total length mm	8550
Hydraulic 3	✓
Shaft type	BPW
Liftable axles	1. + 3.
Axle load kg	9000 + 9000 + 9000
Hoist	
Wire	✓
Make	HMF
Type	TF324
Serial number	903179
Looserun	✓
3 way tilt	✓
Air to the aut. tailgate	✓
Stop mm	2 stop se mål i tekst
Max box mm	Se mål i tekst
Last inspection	3/2025
Performance capacity	24
Year	2018

Beskrivelse

HK tipper chassis model K25T
HMF TF324 wire hoist - 3 way tip
remote control for hoist
5050 mm from center wire roller to first stop + 460 mm to second stop / rear bumper
2820 mm from center front tow roller to center tow eye
oil outlet for pendulum on left side
Air for auto tailgate
Hydraulic extendable bumper + 700 mm
tool box
coupling height 750 mm - adjustable from 750 to 950 mm
coupling length 8550 mm
BPW axles - drum brakes - air suspension
Axle lift on 1st + 3rd axle
275/70R22.5 tire mounting

In very good condition - red chassis and painted rims

Contact Scanvo for more info +45 87244370 - or email: salg@scanvo.dk

See other hoisting trailers on our website www.scanvo.dk - or other equipment +300 units in stock

- AN OFFER YOU CAN'T REFUSE







