

Hangler VTS-H 400 4 akslet - 2 delte ramper, Low loader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Registration		Brakes		Coupling	
Model year	2026	Drum brakes	✓	Brand	VBG 57 mm
Chassis number (VIN)	0024	ABS	✓	Air-coupling	Duomatic
Ref. no.	7899	Weight		Variable drawbar	ja
Brand new	✓	Loading capacity kg	22260	Coupling height mm	800
Basis		Overall weight kg	30000	Dimensions	
Type	Trailer	Tare weight kg	7740	Internal length mm	5450 + 2850mm på repo
Aksel	4	Total weight, low loader kg	44000	Width mm	2550
Stand	Brand new	Load capacity, low loader kg	36260	Load highness at side mm	1080mm på rapo
Tyres		Low loader		Truck bed height mm	900
% remaining	100	Outriggers with planks	✓	Chassis	
Dimensions	235/75R17,5	Double ramp	✓	Toolbox	✓
Auto transport		Hydraulic ramps	✓	Total length mm	9950-10550mm
Platform length	8250 mm	Wide load signs	✓	Shaft type	BPW
Suspension		Truck body / box		Axle load kg	11 + 11 + 11 + 11
Air	✓	Bottom 70 mm træplanker, riflet stålbund			
		Lashing rings in the bottom	✓		

Beskrivelse

New Hanger VTS-H 400 4-axle machine trailer - double ramps

Total bed length 8250 mm bed length - 2000 + 850 mm on platform - 4600 mm flat section + 850 mm inclined section

Fully galvanized chassis and ramps

hydraulic galvanized ramps 2-part ramp L 2800mm + 800 mm - W 750mm - via the front vehicle's hydraulics, you can raise/lower and side shift the ramps, which are operated by handles on the side. Furthermore, the hydraulic system has a throttle valve installed so that the pressure can be adjusted manually

(alternatively, when ordering, the trailer can also be delivered as a single full ramp and with a 24 volt power plug / hydraulic station instead)

BPW 11 ton axles with drum brakes and air suspension with raise/lower function

235/75R17.5 tires mounted with M+S approved pattern

70 mm wooden planks in bottom, and grooved steel above the wheel arches - 2 x 5 pcs. stick holes in edge rail - 2 x 8 pcs. 10 ton lashing eyes in edge rail - 2 pcs. 5 ton at the front - low loading height of 900 mm - Extra 70mm for widening planks which are located in the middle recessed in the bottom of the flat

Storage magazine for chains / straps built into rapo

sliding drawbar with 57 mm towing eye, minimum coupling length 9950 mm can be increased by 600 mm

stainless tool box

LED 3 chamber rear lights

4 pcs. extendable wide load signs with reflex planks and LED position lights to 3000 mm

4 pcs. LED work lights (2 pcs. on the side + 2 pcs. at the back)

Removable rotating beacon on one ramp

Approved for block truck driving 60 km/h: 44,000 kg / load 36,260 kg - at 90 km/h: 30,000 kg / load 22,260 kg

Reservations for printing and typing errors - ready for delivery end of September 2025

- AN OFFER YOU CAN'T REFUSE

We always have a wide selection of new and used units - Call for more information about delivery time can also be delivered as a single complete ramp - Contact us today at +45 8724 4370 to hear more!

As a dealer of products from the Austrian manufacturer Hanger, which for many years has produced strong strong trailer products for

some of the toughest tasks. The product range ranges widely - from machine, low-mounted, heavy-duty or curtain trailers, trailers, etc. You will receive a well-equipped product for the tough tasks that are often performed in the Scandinavian and Nordic countries.







