

Hangler SDS-H 510-T 3-aks maskintrailer - dobbelt ramper, Low loader



SCANVO
TRUCKS DANMARK A/S



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Basis	
Type	Semi-Trailer
Aksel	3
Stand	Brand new
Suspension	
Air	✓
Brakes	
Drum brakes	✓
ABS	✓
Auto transport	
Platform length	13200
Tyres	
% remaining	100
Dimensions	235/75 R17,5 M+S
Coupling	
Electrical coupling	2 x 7-polet

Chassis	
Wheelbase mm	1310
Axle load, front kg	18000
Axle load, rear kg	27000
Toolbox	✓
Working light	✓
Self-tracking axle	✓
Shaft type	BPW
Liftable axles	1.
Stool height mm	1200
Registration	
Model year	2026
Chassis number (VIN)	0016
Ref. no.	7860
City	
Self-tracking axel	✓

Low loader	
Outriggers with planks	✓
Double ramp	✓
Hydraulic ramps	✓
Wide load signs	✓
Weight	
Loading capacity kg	35940
Overall weight kg	45000
Tare weight kg	9060
King pin kg	18000
Total weight, low loader kg	51000 = 60 km/t
Load capacity, low loader kg	41940 = 60 km/t
Dimensions	
Internal length mm	4000 + 9200 = 13200mm
Truck bed height mm	900
Truck body / box	
Bottom	70mm lærketræ
Lashing rings in the bottom	✓
Holes for Sockets	✓

Beskrivelse

NEW Hangler SDS-H 510 T 3-axe galvanized machine trailer with double hydraulic ramps

- BPW axles - drum brakes - air suspension
- 235//75R17.5 M+ S + "3PMFS" approved tires
- Automatic axle lift on 1st axle
- Co-steering axle 3rd which is 1810 mm offset from 2nd axle locking via reversing light or via switch on the trailer
- Bottom covered with 70 mm larch wood + steel
- L 2550 x W 750 mm + 1300 mm hydraulic ramps with climbing X cross welded on for better grip on the outside and hydraulic lateral displacement of the ramps
- Hydraulic pump station for the ramps built into the tool cabinet - operated via 24 volt power NATO plug
- 1 extra stainless steel toolbox
- Magazine box on slope for landing for storing lashing equipment etc.
- steel ramps galvanized L 900 x W 300 mm for rapo built into magazine in rapo
- Removable 320 mm aluminum sides on landing (corner posts also removable)
- king bolt can be placed in 2 positions
- 2 x 8 pcs. strong 5-ton lashing rings on flat piece + 2 x 3 pcs. lashing hooks on rapo + 2 x 2 pcs. strong 10-ton lashing points
- updated version with tire pressure monitoring and side marker lights that flash together with turn signals
- 2 x 7-pin light socket + 24 volt power socket for the ramps
- 4 pcs. extendable wide load signs with LED position lights + - 1 pc. removable rotor light at the rear
- 4 pcs. LED work lights - 2 pcs. on the side + 2 pcs. rear - LED 3-chamber taillights
- Length of lowered part 8150 mm + inclined section in the rear: 1050 mm total: 9,200 mm
- Length of landing 3100 mm flat section + 900 mm on straw section total: 4000 mm
- Height of flatbed 900 mm
- ~~- Fully galvanized chassis with DB 7350 Novagrau painted wheel hub~~


- AN OFFER YOU CAN'T REFUSE

Option for purchasing loose iron poles or other accessories

If interested, contact us at +45 8724 4370 / salg@scanvo.dk or see our selection at www.scanvo.dk


As a dealer of products from the Austrian manufacturer Hanger, which for many years has produced strong strong trailer products for some of the toughest tasks. The product range ranges widely - from machine, lowered, heavy-duty or curtain trailers, trailers, etc. You will receive a well-equipped product for the tough tasks that are often performed in the Scandinavian and Nordic countries.

[Send feedback](#)




SCANVO
TRUCKS DANMARK A/S









Nye og brugte containere
Mere end 100 enheder!

