

Hangler TPS-H 210 Jumbo-Z - 20 ton hydr. ramper, Tieflader



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Zulassung	
Baujahr	2026
Fahrzeugidentifizierungsnummer	0065
Referenznummer	7977
Basis	
Type	Tandemhänger
Aksel	2
Stand	Fabrikneu
Bereifung	
% Resttiefe	100
Größe	235/75 R17,5"
Alpesymbol 3PMSF - M+S	yes
Autotransport	
Ladelänge	6500

Bremsen	
Trommelbremse	✓
Gesamtgewicht	
Nutzlast kg	15200
zul. Gesamtgewicht kg	20000
Leergewicht kg	4800
King pin kg	1000
Tieflader	
Extraktion	✓
Hydraulischen Rampen	✓
Dimension	
Außenbreite mm	2550
Länge mm	ca 5400 + 1000mm
Ladefläche höhe mm	880 mm

Anschlüsse	
Stromanschluss	2x7-polet
Luftanschluss	Duo-Matic
Hersteller	57 mm
Kupplungshöhe mm	700/800/900 mm
Federung	
Luft	✓
Fahrgestell	
Werkzeugkasten	✓
Länge fahrzeugs mm	ca 8400 mm
Schaft-Typ	BPW
Zul. Achslasten kg	20000
Pritsche / Koffer	
Boden	70 mm lærke træ planker
Zurrösen im Boden	✓
Löcher für Steckdosen	✓

Beskrivelse

Brand new 2-axle Hangler 20-ton trailer with hydraulic ramps and container locks.

- BPW axles - air suspension - drum brakes
- 235/75R17.5 tire mounting with "3PMSF" winter driving with tire pressure monitoring TPMS
- 57 mm towing eye on flange that can be adjusted in coupling height of: 700 - 800 - 900 mm
- 2 pcs. removable container locks at the front
- continuous litter box measuring 400 x 400 mm
- hydraulic ramps 2900 x 750 mm which are operated via 24 Volt power connector from the motor vehicle - hydraulic lateral displacement of the ramps
- 4 pcs. LED flash blinker rear + side - 1 pc. removable rotary flasher
- 4 pcs. removable wide load signs with LED position lights
- 14 pcs. 10-ton lashings integrated in the edge rail - 7 pcs. per side
- 6 pcs. foldable 10-ton lashings integrated in the bed base
- 4 pcs. stick holes along the middle of the bed base
- 4 pcs. stick holes mounted at the front on the cross member
- Fully galvanized chassis
- 70 mm larch wood bottom + steel bottom
- Extendable extensions in both edge rails (total 3,000mm)

Total bed length to inside ramps approx.: 6,400mm - Bed length to slope in the rear starting approx.: 5,400mm + 1000 mm on the bend in the rear


Bed base height in driving position approx.: 880 mm

option to purchase 10 pcs. galvanized sticks L: 1,200mm incl. magazine between the axles

Contact us at +45 8724 4370 / salg@scanvo.dk

See our selection of transport equipment at www.scanvo.dk

As a dealer of products from the Austrian manufacturer Hangler, which for many years has produced strong trailer products for some of the toughest tasks. The product range is wide - from machine, low-mounted, heavy-duty or curtain trailers, trailers, etc. with this you receive a well-equipped product for the tough tasks that are often carried out in the Scandinavian and Nordic countries. Send feedback









Nye og brugte containere
Mere end 100 enheder!

