

# Interconsult 64m3 STRT1-64CA med tip, Silotrailer



Scanvo Trucks Danmark A/S  
Hårup Skovvej 7, Hårup  
8600 Silkeborg

Sælger  
Salgsafdeling  
salg@scanvo.dk  
+45 8724 4370  
+45 3046 2148 / +45 2498 2148

| Basis        |              |
|--------------|--------------|
| Type         | Semi-Trailer |
| Aksel        | 4            |
| Stand        | Very fine    |
| Suspension   |              |
| Air          | ✓            |
| Brakes       |              |
| Disc brake   | ✓            |
| ABS          | ✓            |
| Dimensions   |              |
| Cubic meters | 64           |

| Chassis                 |                               |
|-------------------------|-------------------------------|
| Axle load, rear kg      | 30000                         |
| Wheelbase to 1. axel mm | 5890                          |
| Shaft type              | SAF                           |
| Liftable axles          | 1.                            |
| Tyres                   |                               |
| % remaining             | 20/20 - 90/90 - 70/40 - 90/90 |
| Dimensions              | 385/65R22,5                   |
| Tank                    |                               |
| Cbm                     | 64                            |
| Tippers                 |                               |
| Rear tipper             | ✓                             |

| Registration         |                   |
|----------------------|-------------------|
| Model year           | 2007              |
| Reg. date            | 26-10-2007        |
| Reg. no.             | CY2613            |
| Latest inspection    | 06-10-2023        |
| Chassis number (VIN) | YT9ST643371015217 |
| Ref. no.             | 7710              |
| Weight               |                   |
| Loading capacity kg  | 38320             |
| Overall weight kg    | 47000             |
| Tare weight kg       | 8650              |
| King pin kg          | 17000             |

## Beskrivelse

SILO TANKTRAILER INTERCONSULT type: STRT1-64CA

Alu tank capacity 64m3 - front tip piston

Center of gravity height at permissible total weight 2088 mm, corresponding to 97.6 % of the track width over the outer wheels.

Approved for the transport of powdery substances, with a maximum filling level of 80 %.

Tank is in good condition, also inside clean and without cracks

SAF axles - air suspension - disc brakes - axle lift on 1st axle - \*/tracking 4th axle

Added extra 1st axle in 2019

Both tank and chassis frame are in regular condition for the year

\*/ 4th axle needs to be inspected as it is stuck - the tipper steering in the back must be disassembled and lubricated / loosened before using the tip function

CONTACT SCANVO +45 87244370 - MAIL: SALG@SCANVO.DK

See other transport solutions on our website [www.scanvo.dk](http://www.scanvo.dk)









