Kässbohrer LB3E 13,6 mtr + 6,2 mtr udtræk - tvangsstyret aksler, Autotransport



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Basis	
Type	Semi-Trailer
Aksel	3
Stand	Brand new

Suspension	
Air	✔

Brakes	
Drum brakes	✔
ABS	✔

Tyres	
% remaining	100
Dimensions	245/70R17,5

Chassis	
Wheelbase mm	10160
Shaft type	BPW
Liftable axles	1.
Axle load kg	12000 - 12000 - 12000
Compulsive shafts	3

Registration	
Model year	2026
Chassis number (VIN)	WKVDAS00300127431
Ref. no.	8096

Weight	
Overall weight kg	42000
King pin kg	18000
Total weight, low loader kg	54000

Dimensions	
External width mm	2550
External length mm	13600
Truck bed height mm	xx

Truck body / box	
Bottom	stål + hård træ
Boards	✔
Lashing rings in the bottom	✔
Holes for Sockets	✔
Foldable lashing rings	✔

Beskrivelse

Top equipped Kässbohrer 3-axle machine trailer with 3 forced steered axles + 6200 mm extension & double hydraulic ramps

- BPW axles - drum brakes - air suspension

- 245//75R17.5 M+ S + "3PMFS" approved tires

- Automatic axle lift on 1st axle

- All 3 axles are forced steerable

- Bottom covered with strong hardwood + steel

- extension for widening planks which are also included in hardwood with a width of 300 mm

- 2 divided loading ramps Length 2630 + 1380 mm x Width 850 mm hydraulic ramps with climbing X cross welded on for better grip on the outside and hydraulic lateral displacement of the ramps

- Hydraulic pump station for the ramps built into the tool cabinet - operated via 24 volt power NATO plug

- 1 pc. hydraulic lateral ramp adjustment

- Hydraulic pump station for ramps integrated into tool cabinet – operated via 24V NATO plug

- 1 additional stainless steel tool box

- 600 mm storage box at the front of the gooseneck for lashing equipment, etc. - Removable 320 mm aluminium side boards on the upper deck (corner posts also removable); open design with 1200 mm long aluminium side boards

- Kingpin adjustable to 2 positions

- Heavy-duty lashing rings on the flatbed section + lashing hooks on the upper deck; prepared with cutouts for container locks in multiple positions; stake pockets (55 x 105 mm) in the side rave

- 2 x 7-pin lighting connectors + 24V power connector for the ramps

- Axle load gauge for all 3 axles

- 4 x extendable wide-load signs with LED position lights + 1 x removable rotating beacon at the rear

- 4 x LED work lights – 2 on the side + 2 at the rear Rear – LED 3-chamber tail lights

- Length of drop-deck section: 8,850 mm + rear slope: 550 mm (Total: 9,400 mm)

- Length of upper deck: 3,100 mm flat section + 750 mm slope section – 1,350 mm open + 1,200 mm enclosed with aluminum sides + 600 mm storage box (Total: 3,900 mm)

- Deck height: 900 mm

- RAL red chassis with painted wheel hubs

Optional extras available, such as loose steel stakes or other accessories

If interested, please contact us at +45 8724 4370 / salg@scanvo.dk or view our selection at www.scanvo.dk

As a dealer for the Austrian manufacturer Hangler—a company with a long history of producing robust, heavy-duty trailer products designed for the toughest jobs—we offer a wide product range. This includes machinery trailers, drop-deck trailers, heavy-haulage trailers, curtain-siders, drawbar trailers, and more. You receive a well-equipped product capable of handling the demanding tasks often encountered in Scandinavia and the Nordic region.


Kässbohrer


Kässbohrer











Kässbohrer


Kässbohrer






Special Types Authorisation Plate
VIN : WKVDAS00300127431
Tyre Size :245/70 R 17.5
Number of axles :3
Tyre Pressure at : 9.5 bar
Speed
kmh
mph
Axle Load (kg)
5th wheel load (kg)
Gross weight (kg)
80
50
36000
24000
60000
60
37
36000
24000
60000






WABCO
TRAILER EBS-E
KAESSBOHRER
LB3E
WKVDAS00300127431
52420S
90
2S/2M
X

