Jumbo 6,5 mtr lad + 3,5 mtr udtræk, Sliding



Scanvo Trucks Danmark A/S
Hårup Skovvej 7, Hårup
8600 Silkeborg

Sælger
Salgsafdeling
salg@scanvo.dk
+45 8724 4370
+45 3046 2148 / +45 2498 2148

Registration	
Model year	2025
Reg. date	22-09-2025
Reg. no.	FZ4656
Latest inspection	03-11-2026
Chassis number (VIN)	XL9J00000S0006069
Ref. no.	8144

Basis	
Type	Trailer
Aksel	3
Stand	As new

Tyres	
% remaining	80 - 80 - 80
Dimensions	245/70R17,5
Alpinsymbol 3PMSF - M+S	yes

Brakes	
Drum brakes	✔
ABS	✔

Weight	
Loading capacity kg	20440
Overall weight kg	27000
Tare weight kg	6560
Total weight, low loader kg	30000
Load capacity, low loader kg	23440

Coupling	
Electrical coupling	EBS + 15 polet lysstik
Air-coupling	Duromatic
Manufacturer	40 / 57 mm trækøje
Coupling height mm	800 eller 400

Dimensions	
External width mm	2550
Internal length mm	6500 + udtræk
Truck bed height mm	880

Suspension	
Air	✔

Chassis	
Wheelbase mm	3280 + 1810
Axle load, front kg	10000
Axle load, rear kg	10000 + 10000
Toolbox	✔
Total length mm	x
Shaft type	BPW

Truck body / box	
Bottom	stål + hård træ
Holes for Sockets	✔
Foldable lashing rings	✔

Beskrivelse

Jumbo 3-axle double-extendable trailer

6500 mm fixed low-bed section with a total extension of 3500 mm (1400 mm at the rear + 2100 mm in the middle).
All functions operated via an onboard hydraulic power unit, powered by the truck's 24V electrical system.
Loading height is only 880 mm.
Deck features steel and hardwood; lashing rings integrated into the side frame; multi-container locks (front-mounted on a sliding plate, rear-mounted recessed into the deck).
Equipped with multiple lashing points and stake pockets (along the side rails and at the front).
Rear mounting points for loading ramps (ramps not included).
Includes front-mounted wide-load marker boards, a rear electrical socket for auxiliary lights, various LED lights, and strobe/flashing lights.
Adjustable drawbar (coupling height: 800 mm); an alternative low-position adjustable drawbar (coupling height: 400 mm) is also available. Towing eye: 40 mm or 57 mm.
BPW axles, drum brakes, air suspension with raise/lower valves, and 245/70R17.5 tires.
Automatically liftable 2nd axle.

Gross vehicle weight: 27,000 kg at 90 km/h; heavy-haulage (special transport) rating: 30,000 kg at 60 km/h, with a payload capacity of 23,440 kg.
Approved for self-supporting loads only when in the extended position!

In like-new condition; features a black chassis finish applied over a factory-applied metallized (thermal spray) coating.














SCANVO






SCANVO
- AN OFFER YOU CAN'T REFUSE






SCANVO
TIL SALG




SCANVO.dk


SCANVO
- AN OFFER YOU CAN'T REFUSE


30
40
50
60




JUMBO
JUMBO FABRIEK VAN AANHANGERS EN OPLEGGERS B.V.
APPROVAL No.
CHASSIS IDENT No.
XL9J00000S0006069
MASS TOTAL 30000 30000 KG
AXLE LOAD 1 10000 10000 KG
AXLE LOAD 2 10000 10000 KG
AXLE LOAD 3 10000 10000 KG
AXLE LOAD 4 KG
KING PIN KG
CHASSIS TYPE
TV300LZUC
LEGALLY TECHNICALLY
(L) M M







